Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	51628	forest	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/04/27 07:04
L2	2	"5999895".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 08:35

LAST Scarcii History						
L4	1890	3 and (remote with control\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 07:19
L6	849	4 and (program\$6 application) with control\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 07:20
L7	129	6 and (house adj3 hold appliance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 07:20
L8	0	7 and program with regions and (various different\$5) with program\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 07:21
L9	3	6 and program with regions and (various different\$5) with program\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 07:22
L10	3	(remote with control) with (languages) and different with (program) with (region)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 07:23
L11	13	(remote with control) with (languages) and different with (program) with (region country location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 07:28
L12	117	program with (appliance device remote with control) with (languages) and different with (program) with (region country location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 07:34
L13	46	12 and program with (varies variation differs different) with language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 07:31
L14	28	12 and program with (code steps) with (varies variation differs different) with language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 07:34

•						
L15	28	12 and program\$5 with (code steps) with (varies variation differs different) with language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2007/04/27 07:35
L16	147	program\$5 with (appliance device remote with control) with (languages) and different with (program) with (region country location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 07:34
L17	30	16 and program\$5 with (code steps) with (varies variation differs different) with language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 07:35
L18	2	17 not 15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 07:35
L19	2000	(chang\$5 vary varying various differ different differently) with programming with (code step) and (code step) with (country region language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 07:37
L20	16898	(chang\$5 vary varying various differ different differently) with (sequence order) with (code step) and (code step) with (country region language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 07:37
L21	777	20 and (stor\$5 memory) with (program\$5) with language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 07:38
L22	468	21 and (first second target source) with language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 07:39
L23	436	22 and (appliance device apparatus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 07:40

		EAST Scare				
L24	1567200	23 and frikaans, Albanian, Amharic, Arabic, Armenian, Assamese, Assyrian, Avar, Azerbaijani, Balinese, Bamara, Bantu, Bashkir, Basque, Bengali, Birhari, Bulgarian, Buluba-Lulua, Burmese, Buryat, Byelorussian, Caddoan, Catalan, Chechen, Chikaranga, Chippewa, Choctaw, Church Slavik, Chuvash, Coptic, Cree, Croatian, Cyrillic, Czech, Dakota, Danish, Dari, Devanagari, Dutch, Dzongkha, English, Eskimo, Esperanto, Estonian, Ewe, Farsi, Fijian, Filipino, Finnish, Flemish, French, Fulani, Gaelic, Galician, Georgian, German, Greek, Gujarati, Gurmakhi, Harari, Hausa, Hawaiian, Hebrew, Hindi, Hiragana, Ibo, Icelandic, Indonesian, Irish, Irogquoian, Italian, Kabardian, Kalmyk, Kannada, Kanuri, Kashmiri, Katakana, Kazakh, Khasi, Khmer, Kirghiz, Kishmiri, Komi, Kongo, Kurdish, Lao, Latin, Latvian, Lithuanian, Lu-Guanda, Macedonian, Magahi, Maithili, Makua, Malagasy, Malay, Malayalam, Maltese, Mandingo, Manipuri, Marathi, Masai, Mizo, Moldavian, Mongolian, Munda, Naga, Navaho, Nyanja, Nepalese, Norwegian, Oriya, Oromo, Ossetian, Pashto, Polish, Portugese, Punjabi, Rajasthani, Rhaeto-Romanic, Rumanian, Russian, Samoan, Sangs, Serbian, Serbo-Croatian, Sinhalese, Sinhi, Sioux, Slovak, Slovenia, Spanish, Sundanese, Swahili, Swedish, Syriac, Tadzhik, Tagalog, Tajik, Tamil, Tatar, Telugu, Thai, Tibetan, Turkish, Turkmen, Udmurt, Uighur, Ukranian, Umbundu, Urdu, Uzbek, Vietnamese, Visayan, Welsh, Yakut, Yoruba	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 07:41

L25	1567200	23 and afrikaans Albanian	IIC-DCDIID.	OP	ON	2007/04/27 07:44
L23	1567200	23 and afrikaans, Albanian,	US-PGPUB;	OR	ON	2007/04/27 07:44
		Amharic, Arabic, Armenian,	USPAT;			
		Assamese, Assyrian, Avar,	EPO; JPO;	ļ		
İ		Azerbaijani, Balinese, Bamara,	DERWENT;			
		Bantu, Bashkir, Basque, Bengali,	IBM_TDB			
		Birhari, Bulgarian, Buluba-Lulua,				
		Burmese, Buryat, Byelorussian,		,		
1		Caddoan, Catalan, Chechen,				
Ì		Chikaranga, Chippewa, Choctaw,				
		Church Slavik, Chuvash, Coptic,				
		Cree, Croatian, Cyrillic, Czech,				
		Dakota, Danish, Dari, Devanagari,		-		
	ļ	Dutch, Dzongkha, English, Eskimo,		'		
		Esperanto, Estonian, Ewe, Farsi,				
1		Fijian, Filipino, Finnish, Flemish,				
		French, Fulani, Gaelic, Galician,				
		Georgian, German, Greek,				
		Gujarati, Germakhi, Harari, Hausa,				
		1				
	Ĭ	Hawaiian, Hebrew, Hindi,				
		Hiragana, Ibo, Icelandic,				
		Indonesian, Irish, Irogquoian,				
		Italian, Kabardian, Kalmyk,				
		Kannada, Kanuri, Kashmiri,		!		
		Katakana, Kazakh, Khasi, Khmer,				
		Kirghiz, Kishmiri, Komi, Kongo,				
		Kurdish, Lao, Latin, Latvian,				
	!	Lithuanian, Lu-Guanda,				
		Macedonian, Magahi, Maithili,				
	·	Makua, Malagasy, Malay,				
		Malayalam, Maltese, Mandingo,				
		Manipuri, Marathi, Masai, Mizo,				
		Moldavian, Mongolian, Munda,				
		Naga, Navaho, Nyanja, Nepalese,				
	İ	Norwegian, Oriya, Oromo,	·			
		Ossetian, Pashto, Polish,				
		Portugese, Punjabi, Rajasthani,				
		Rhaeto-Romanic, Rumanian,				
		Russian, Samoan, Sangs, Serbian,				,
		Serbo-Croatian, Sinhalese, Sinhi,				
		Sioux, Slovak, Slovenia, Spanish,				
		Sundanese, Swahili, Swedish,				
		Syriac, Tadzhik, Tagalog, Tajik,				
	}	Tamil, Tatar, Telugu, Thai,				
	1	Tibetan, Turkish, Turkmen,	1			
		· · · · · · · · · · · · · · · · · · ·				
		Udmurt, Uighur, Ukranian,				
		Umbundu, Urdu, Uzbek,				
		Vietnamese, Visayan, Welsh,	,			
		Yakut, Yoruba				

		LASI Searc				
L26	0	23 and (afrikaans, Albanian, Amharic, Arabic, Armenian, Assamese, Assyrian, Avar, Azerbaijani, Balinese, Bamara, Bantu, Bashkir, Basque, Bengali, Birhari, Bulgarian, Buluba-Lulua, Burmese, Buryat, Byelorussian, Caddoan, Catalan, Chechen, Chikaranga, Chippewa, Choctaw, Church Slavik, Chuvash, Coptic, Cree, Croatian, Cyrillic, Czech, Dakota, Danish, Dari, Devanagari, Dutch, Dzongkha, English, Eskimo, Esperanto, Estonian, Ewe, Farsi, Fijian, Filipino, Finnish, Flemish, French, Fulani, Gaelic, Galician, Georgian, German, Greek, Gujarati, Gurmakhi, Harari, Hausa, Hawaiian, Hebrew, Hindi, Hiragana, Ibo, Icelandic, Indonesian, Irish, Irogquoian, Italian, Kabardian, Kalmyk, Kannada, Kanuri, Kashmiri, Katakana, Kazakh, Khasi, Khmer, Kirghiz, Kishmiri, Komi, Kongo, Kurdish, Lao, Latin, Latvian, Lithuanian, Lu-Guanda, Macedonian, Magahi, Maithili, Makua, Malagasy, Malay, Malayalam, Maltese, Mandingo, Manipuri, Marathi, Masai, Mizo, Moldavian, Mongolian, Munda, Naga, Navaho, Nyanja, Nepalese, Norwegian, Oriya, Oromo, Ossetian, Pashto, Polish, Portugese, Punjabi, Rajasthani, Rhaeto-Romanic, Rumanian, Russian, Samoan, Sangs, Serbian, Serbo-Croatian, Sinhalese, Sinhi, Sioux, Slovak, Slovenia, Spanish, Sundanese, Swahili, Swedish, Syriac, Tadzhik, Tagalog, Tajik, Tamil, Tatar, Telugu, Thai, Tibetan, Turkish, Turkmen, Udmurt, Uighur, Ukranian, Umbundu, Urdu, Uzbek, Vietnamese, Visayan, Welsh, Yakut, Yoruba) (programing with (code schem\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 07:45
LE /		steps)) and (code scheme steps) with (different chang\$5) with (region) and (region with language)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OK .		2007 07 27 07.77

4/27/07 9:20:47 AM 1 ህ/6 የ0,3 8 Z. C:\Documents and Settings\mpierre\My Documents\EAST\Workspaces\10042827.wsp

			·			
L28	29	(programming with (code schem\$5 steps)) and (code scheme steps) with (different chang\$5) with (region) and (region with language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 07:50
L29	30	(apparatus with operat\$5 with (various different differ) with (countries))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 07:51
L30	174	((device appliance apparatus) with operat\$5 with (various different differ) with (countries))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 07:51
L31	0	((device appliance apparatus) with operat\$5 with (various different differ) with (countries)) and (first second) with (language) with (program\$6) with (step sequenc\$5 code instruct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 07:52
L32	5	((device appliance apparatus) with operat\$5 with (various different differ) with (countries)) and (first second) with (language) and (program\$6) with (step sequenc\$5 code instruct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 07:53
L33	6	((step sequenc\$5 code instruct\$5s) with operat\$5 with (various different differ) with (countries)) and (first second) with (language) and (program\$6) with (step sequenc\$5 code instruct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 08:00
L34	31	((various different differ) with (countries)) and (first second) with program with different with program\$5 with (step instruct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 08:05
L35	2	program\$5 with (step sequence) with (diff differ differ\$6 various var\$5) with (steps instructions) with (country) and (country with language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 08:07
L36	12	program\$5 with (step sequence) with (diff differ differ\$6 various var\$5) and (steps instructions) with (country) and (country with language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 08:07

	1		T		1	7
L37	10	36 not 35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 08:09
L38	0	(house adj3 hold) with (device appliance) and (language with region) and (sequence with (step instruct\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 08:10
L39		(house) with (device appliance) and (language with region) and (sequence with (step instruct\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 08:12
L40	581	(device appliance) and (language with region) and (sequence with (step instruct\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 08:12
L41	74	(house home) with (apparatus device appliance) and (language with region) and (sequence with (step instruct\$5)) and (region with language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 08:13
L42	10	(house) with (apparatus device appliance) and (language with region) and (sequence with (step instruct\$5)) and (region with language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 08:13
L43		(home) with (apparatus device appliance) and (language with region) and (sequence with (step instruct\$5)) and (region with language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 08:14
L44	0	(home) with (apparatus device appliance) and (language with region) and (sequence with (step instruct\$5)) with (differ\$9 chang\$5) with (region with language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 08:15
L45	0	(home) with (apparatus device appliance) and (language with region) and (sequence with (step instruct\$5)) same (differ\$9 chang\$5) with (region with language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/04/27 08:15

L46	1	(home) with (apparatus device appliance) and (language with region) and (sequence with (step instruct\$5)) same (differ\$9 chang\$5) with (region language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 08:17
L47	27	(apparatus device appliance) and (language with region) and (sequence with (step instruct\$5)) same (differ\$9 chang\$5) with (region language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 08:19
L48	3	(apparatus device appliance) with (language with region) and (sequence with (step instruct\$5)) same (differ\$9 chang\$5) with (region language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 08:19
L49	17	(apparatus device appliance) with (language region) and (sequence with (step instruct\$5)) same (differ\$9 chang\$5) with (region language) and language with region	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 08:19
L50	14	49 not 48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 08:19
L51	2	"6073101".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 08:35